

2039 PASSAP-DUOMATIC

Fig. I




Fig. II




Fig. III




Fig. XII






Fig. XIIa



Pattern:
Handle up,
pink strippers



Carpet pattern:
Handle down, pink strippers



Back: EX
Front: CX
knit 2 rows with both locks
knit 2 rows with front lock only
repeat

RZ=RC

reduce 2° of de 3 de

Fig. I, back: A = 1:1 rib. B = arrange pushers for pattern, continue in pattern. C = reduce number of sts by 36 as follows: transfer all sts from back to front. On front bed place every 3rd st onto 3rd nd. Starting inside, move all sts towards centre to close gaps, using deckercomb. At both ends return empty nds to N.P. Transfer sts for 1:1 rib. Set lock N/N and with 80 sts knit 6 rows in 1:1 rib, make 1 open work row, and knit further 6 rows in 1:1 rib. D to F = lock set on N/AX (pattern).
Fig. II, front: Knit two parts with reversed shapings. A to E = knit as for Fig. I. F and G = shape neck and shoulders.
Fig. III, sleeves: A = 1:1 rib. B and C = arrange pushers for pattern, continue in pattern.
Fig. XII, hood: A = pattern. B = pattern.
Fig. XII, pattern border: Please note: The number of sts given on diagram applies to back bed only. A, B and C = carpet pattern.

To make up:
Do not iron!

Join side and sleeve seams. Join seam at lower edge. Starting from the bottom, join centre front seam for about 12 cm. Join sections B of hood. Join cast-on edges of border and hood, seam inwards. Sew hood to neck edge as follows: Sew side edges of section A to back flush with shoulder seams, side edges of section A and half of section B of pattern border to front (flush with front opening). Pull twisted cord through open work row. Set in zip.

Mitts: Cast on 42 sts and knit 14 rows in 1:1 rib, 1 open work row, and further 6 rows in 1:1 rib. Put pushers into W.P. for pattern and knit 36 rows in pattern, then 8 rows in 1:1 rib. Put all sts on a thread, draw up and fasten off.

To make up:

Sew up. Work picot edging along cast-on edge (2 single crochet, chain 4 etc.). Pull cord through holes at wrist.

Baby's hooded sleeping bag with sleeves and matching mittens

Size: to fit up to 1 year

Material: 1712 ozs fine wool, 1 zip

Stitch size: wool taken double: pattern 4 3/4

1:1 rib 4 1/4, single wool: carpet

pattern front 1, back 3 3/4

Test square: 100 sts = 38 cm (15")

Pattern: 100 rows = 18 cm (7")

sleeping bag, hood and mitts in pattern

wool taken double. Carpet pattern




for hood with single yarn

Material: 700metres length per 100 gr approx. 220 yards per 1 oz 10 cm = approx. 4"

2040 PASSAP - DUOMATIC

Material: 410 metres length per 100 gr
approx. 128 yards per 1 oz
10 cm = approx. 4"

30/B



To make up: Block and press all parts lightly.



Sweater: Join side and shoulder seams, set in sleeves. Sew neck band to neck edge, flush with centre back opening, first outside, then inside, backstitching into open loops and unravelling contrast yarn. Work 2 rows of single crochet round back opening, making 3 equally spaced button loops in the second row. Sew on buttons to match.

Pants: Join leg seams along sections A and B. Set in gusset according to dotted line on diagram. Join front and back seam. Fold waist hem in half to inside and pull elastic through.

Cable stripes :

Handle down, black strippers

M = centre



Cross sts 1 and 2 over sts 3 and 4 after every 10th row.

Child's two-piece outfit

Size : 11/2 to 2 years

Material:
8 3/4 ozs medium wool, pink
sweater: 5 1/4 ozs wool, 3 buttons
pants: 3 1/2 ozs wool, waist elastic

Stitch size : stocking st front 5 $\frac{1}{2}$, back 5 $\frac{1}{4}$.

stocking st tubular 4 3/4.

2041 PASSAP - DUOMATIC

Baby's zip front siren suit with matching bonnet

Size: 6 to 12 months

Material:


9 1/2 ozs synthetic baby knitting yarn, 1 zip 30 cm long,
1 yd ribbon, 3 yds shirring elastic

Stitch size: AX pattern 5, stocking st and tubular 5

Test square: 100 sts = 44 cm (17 1/4"), 100 rows = 14 cm (5 1/2")

Material: 390 metres length per 100 gr
approx. 122 yards per 1 oz
10 cm = approx. 4"

Fig. I, II + XIV



RZ = RC

Fig. XII







Fig. III



Pattern I:
black strippers



Pattern II:
black strippers



Back: 2 rows DX
Front: CX
2 rows DX O CX

Pattern:

Entire suit in AX pattern according to diagram I. Feet in DX/CX pattern according to diagram II, cuffs in stocking st, neck band in stocking st tubular, bonnet in AX pattern according to diagram I, lower edge in stocking st tubular.

Fig. I, II and XIV, back and front: A = right front in pattern according to diagram I. Start at shoulder. Cast on 14 sts. At right leave 3 sts on front bed, transfer remaining (11) sts to back bed. Knit 4 rows. At right transfer further 3 sts to front bed, knit 4 rows, and so on. . . until all 14 sts are on front bed. At right knit straight. B = neck shaping: at right increase, at left knit straight. C = knit straight, put sts on deckercomb. Note position of pushers. Repeat sections A, B and C for left front, reversing shapings. Put sts on deckercombs. D = back: at both ends work shoulders as section A, but transferring 4 sts to front bed. E = knit straight. F = (bodice) at right and left of back cast on 18 sts for armholes, then place sts of corresponding front parts at either side of back, continue straight. G = crutch: note pusher position. With-contrast yarn knit a few rows over left half of sts (right leg). Put these sts on deckercombs. With remaining 64 sts knit left leg accord. to diagram. Increase at both ends. H = decrease at both ends according to diagram. J = foot: note pusher position. Transfer sts of right half to back bed as follows: on back bed - opposite nds of left half of knitting - put 20 nds into W.P. Put sts of right half on deckercombs, turn and place on to empty nds on back bed. On back bed arrange pushers according to diagram II. J = heel: stocking st at front. Set lock at back on GX, front on BX, shape heel with graduations. K = foot: knit straight with lock at back on DX, front on CX according to diagram I. L = point: set lock on CX/CX. Decrease at both ends with double decker tool. Knit right leg, repeating sections G to L, reversing shapings.

Fig. III: Sleeve. Begin with contrast yarn. A = stocking st. B = continue in pattern I, increasing at both ends. C = shape sleeve head, cast off. Neck band: Stocking st tubular. With 78 sts on each bed cast on with racking, knit 24 rows tubular, a few rows with contrast yarn, release. Fig. XII, bonnet: A = turn-up, knit straight according to pattern I, but on back bed. B = transfer all sts to front bed and continue straight according to pattern I. C = at both ends cast off 20 sts. Continue with 24 sts, decreasing at both ends. Cast off. Neck edging for bonnet: With 70 nds on each bed make zig-zag, knit 20 rows tubular with lock set on CX/CX. Finish off with contrast yarn. Release. To make up: Suit: Block and press all parts very lightly, preferably only edges of knitting. Join shoulders, crutch, and leg seams. Sew on neck band, first outside, backstitching into open loops and unravelling contrast yarn. Secure loose sts inside. Work 1 row of single crochet along front opening. Set in zip. Insert shirring elastic at waist and at ankles. Join sleeve seams up to dot (e). Set in sleeves: sew cast-off edge of sleeve head to armhole, matching arrows and dots with shoulder seam. Sew sleeve from dot to arrow to cast-on 18 sts. Bonnet: Match arrow with dot and sew up. At front fold 3 cm of turn-up to outside. Sew on neck edging, first outside, then inside, backstitching into open loops and unravelling contrast yarn. Sew on ribbon. Press all seams lightly.

2042 PASSAP-DUOMATIC

Fig. I




Fig. II





Fig. III



Girl's dress


Size: 1 1/2 to 2 years

Material: about 7 ozs medium baby wool white, 3 small buttons
2 yds ribbon


Stitch size: stocking st and pattern 5, hem 4, 1:1 rib 2

Test square: 100 sts = 33 cm (13"), 100 rows = 24 cm (9 1/2")

Pattern: in pattern according to diagram. X = 1 pusher in Rest Position



2 rows AX
Back: 1 row N
Front: GX



1 square = 1 st = 3 rows = RC 3

Material: 430 metres length per 100 gr approx. 135 yards per 1 oz
10 cm = approx. 4"

Fig. I: A = hem, stocking st. B = transfer all sts to back bed and continue in pattern. C = transfer all sts to front bed and continue in stocking st. D = put all sts on thread and place sts back to ends of back bed as follows: * on 1st and place 2 sts, on 2nd place 2 sts *, repeat from * to *. Continue in pattern. E = divide work, transfer all sts to front bed and continue in stocking st. Make an open work row after the 22nd row.

Fig. II: A to D = as for Fig. I. E = transfer all sts to front bed. Continue in stocking st. Make an open work row after the 22nd row.

Fig. III: A = 1:1 rib. Make an open work row after the 5th row. D = transfer all sts to back bed, continue in pattern. C = transfer sts to front bed, continue in stocking st. Make an open work row after the 22nd row.

To make up:

Pin out parts to size and press lightly. Sew up. Work 1 row of single crochet along neck and back opening, making 3 button loops at one side of back opening. Sew on buttons to match. Pull ribbon through holes at neck and lower sleeve.

2043 PASSAP - DUOMATIC

Child's coat with cable stripes and inverted pleat at centre back

Size : 3 to 4 years
Material : about 17 ozs medium wool, 6 buttons
Stitch size : pattern back 3 3/4, front 4, stocking st 4 3/4
Test square : 100 sts = 16 cm (6 1/4")
Pattern : entire coat in "long stitch" pattern with cable stripes on front and sleeves and inverted pleat at centre back

Pattern I. "long stitch" pattern:
Handle down, pink strippers



At right front put one extra nd into W.P. (contrary to needle rule) to obtain a neat edge.

Material : 470 metres length per 100 gr approx. 147 yards per 1 oz 10 cm = 4"

Fig. 1b




Fig. 1i




Fig. 1ii




Fig. 1iii





Fig. 1a, lower part of back : A = with all nds and St. S 1 make zig-zag, then set lock on CX/CX : 2 rows with St. S 2, 2 rows with St. S 3, next 10 rows with St. S 3 3/4 at back and St. S 4 at front. B = continue in pattern I. In the centre work cable, needle setting for pleat according to diagram II. First knit 12 rows, then cable sts. At both ends decrease with triple decker tool. Put sts on a thread. Fig. 1b, Yoke : Knit in pattern I. A = as for Fig. 1a. B = at both ends decrease with triple decker tool.

Fig. 1c, right front : A = as for Fig. 1a. B = continue in pattern I. At right knit straight, at left decrease with triple decker tool. From right count 80 sts (40 sts on front bed) and set sts for cable pattern, knit 12 rows, cross sts. Continue according to diagram. In the 150th row knit first buttonhole as follows : at right miss 12 sts (5 on front and 6 on back bed), transfer the next 3 sts from front to back bed. Slip these double sts one through the other, so that only one st remains on each nd. Now place the second of these new sts onto third st and knit through, then place third and first st onto second nd and knit through. Place the new st thus obtained onto 6th nd on front bed, leaving empty nds in W.P. Knit 1 row, twist zig-zag thread on each nd. (This kind of buttonhole does not need finishing) C = at right knit straight, at left decrease with triple decker tool. In the 18th row of section C work second buttonhole in the same way. In the 62nd row work third buttonhole. D = at right cast off 44 sts, shape neck, at left continue decreasing.

Knit left front with reversed shapings, omitting buttonholes. Fig. 1d (make two) : A = as for Fig. 1a, knitting only 5 rows. B = continue in pattern I with cable stripe in the centre. Knit 8 rows, then start cabling. Increase at both ends. C = raglan, shaping with triple decker tool, cast off. Collar : Knit in pattern I. Cast-on : over 164 nds make zig-zag with St. S 1, change to St. S 2 1/2 and knit 2 rows CX/CX, followed by 1 row N/N and St. S at back 3 3/4, at front 4. Knit 14 rows in pattern, then 6 rows with lock set on N/CX and 6 rows with lock set on CX/N, a few rows with contrast yarn, release. Pattern II, cable and half of needle setting for pleat at centre back :



To make up :

Block and press all parts. Pin and press pleat matching arrow 2 over arrow 1. Backstitching in the first pattern row, sew on yoke to lower back. Sew sleeves with mattress stitch between back and front. Join side and sleeve seams. Sew on collar, starting and ending at centre front (centre front = x-x-x-x on diagram of Fig. 1i), first outside, then inside, backstitching into the open loops and unravelling contrast yarn. Sew buttons on to both fronts according to dots on diagram. Sew on press stud to keep underlap in place.

2044 PASSAP - DUOMATIC

Fig. IX + I

Fig. IX + II

Winter overall with pile lining in carpet pattern

Size: to fit up to 4 years

Material: 12 ozs fine red wool for overall, 12 ozs fine white dralon 2-ply for lining, 1 red zip 40 cm long, about 3 yds red shirring elastic

Stitch size: "long stitch" pattern = back 3, front 3 1/4

carpet pattern = back 4, front 1, 1:1 rib = 1 1/2

Test square: "long stitch" pattern: 100 sts = 16, 5 cm (6 1/2")

RC 100 = 13, 5 cm (5 1/4")

carpet pattern: 100 sts = 40 cm (15 3/4"), RC 100 = 5 cm (2")

entire overall in "long stitch" pattern with red "long stitch" to inside, 2:2 rib borders.

White pile lining in carpet pattern (see directions in brackets on diagram).

Overall, red

Fig. IX + I: Back and back of legs. A to C = left leg.

A = 2:2 rib, B = put all nds in work and continue in pattern according to diagram I, increasing at both ends. C = at right knit straight, at left shape crutch. A few rows with contrast yarn, release. Press contrast yarn. At left of machine knit right leg according to diagram but reversing shapings. Place sts of left leg back on to nds of machine, at right of right leg, unravelling contrast yarn. D = continue straight in pattern over both legs. E = shape armholes, then continue straight. F = shape shoulders, cast off.




Fig. III





Fig. XII



Pattern I, "long stitch" pattern:

Handle down, pink strippers



Pattern II, carpet pattern:

Handle down, black strippers



2 rows with both locks
2 rows with front lock only
= RC 4 = 2 knitted rows

2046 PASSAP-DUOMATIC

Outfit, consisting of jacket, bonnet, mitts and booties

Size: 8 to 12 months

Material: 10 ozs baby wool, 4 buttons, 1 yd ribbon

Stitch size: K/K 2 3/4, pattern 3 1/4, stocking st tubular 5

Test square: 100 sts = 26,5 cm (10 1/2"), 100 rows = 12 cm (4 3/4")

Pattern:

Handle down, pink strippers



Material: 340 metres length per 100 gr
approx. 106 yds per 1 oz
10 cm = approx. 4"

Jacket

Fig. I: Knit in pattern. A = knit straight, B = shape armholes, C = shape shoulders, cast off.

Fig. II, left front: Knit in pattern according to diagram.

A = knit straight, after 10 rows make first buttonhole thus: at left, back and front place 9th st onto 8th nd and 10th st onto 11th nd, leaving empty nds in W.P. Knit 1 row, pick up and twist cross thread and place onto empty nds. Make 3 more buttonholes 60 rows apart. B = at right shape armhole, at left knit straight. C = at right knit straight, at left shape neck. D = at right shape shoulder, at left knit straight.

Fig. I







Fig. II

Fig. III

Fig. XII

Fig. XIII

Fig. XIV



Right front: As left front, but lock set at back on N, at front on EX (for girls make buttonholes on right front).

Fig. III (make two): A = K/K. B = continue in pattern, increasing at both ends. C = shape sleeve head, cast off.

Neck band: With 80 sts in K/K cast on with racking. Knit 10 rows in pattern, a few rows with contrast yarn, release.

To make up:

Sew up, set in sleeves. Sew neck band to neck edge, using back stitch, starting and ending at arrows. Sew on buttons.

Bonnet

Fig. XII: Knit in pattern. A = border: set lock at back on N, at front on EX. B = set lock at back on EX, at front on N. C = at both ends cast off 40 sts, continue decreasing at both ends according to diagram. Cast off.

To make up bonnet:

Sew cast-off sts of section B to shaped edges of section C. Fold border back and work 2 rows of single crochet along lower edge. Sew on ribbon.

Mitts

Fig. XIII: A = K/K. B = first make an open work row, then continue straight in pattern. C = continue in pattern. At both ends decrease and increase. D = as section B. E = first make an open work row, then continue straight with lock set on K/K. Cast off.

To make up mitts:

Join side seams. Pull cord through holes at wrist.

Bootees

Fig. XIV: A = stocking st tubular. B = continue in pattern. C = pattern, decrease at both ends. D = continue in stocking st. Knit 6 rows with lock set on N/GX, another 6 rows with lock set on GX/N. E = continue in pattern. Cast off.

To make up booties:

Join sole and foot seams. At section D pull cord through. Fold section E to outside.

2047 PASSAP-DUOMATIC

Material: 430 metres length per 100 gr
approx. 135 yards per 1 oz
10 cm = approx. 4"

Girl's dress with white trimming

Size: about 1 to 2 years

Material: 5 1/2 ozs medium wool, navy blue, an oddment white, 1 button


Stitch size: stocking st and pattern 5

Test square: 100 sts = 33 cm (13"), 100 rows = 20 cm (8")

Pattern: dress in stocking st with navy blue, trimming at neck, sleeve and skirt in pattern with white

Pattern for white trimming:

Handle down, black strippers



Back: N

Front: 2 rows AX

2 rows AX O

knit about 220 cm

Fig. I





Fig. II



Fig. III



2078 PASSAP-DUOMATIC

37/B


Fig. I: A = hem, stocking st. B = stocking st, decrease at both ends as follows: counting from each end place 41st and 43rd st onto 42nd nd. There will be 3 sts on this nd. Move sts on 42nd nd 1 nd inwards and remaining sts 2 nds inwards. At both ends return 2 nds to N.P. Mark nds with 3 sts on them with pushers. Knit 8 rows. Place 1 st from either side onto nds marked with a pusher. Move sts inwards. Shape armhole. D = divide work with BX and pushers. Knit right shoulder according to diagram: knit straight, E = at right shape shoulder, at left knit straight. Complete left shoulder, reversing shapings.

Fig. II: A, B and C = as for Fig. I. D = divide-work: cast off centre 12 sts, at right knit straight, at left shape neck. E = at right shape shoulder, at left knit straight. Complete other shoulder, reversing shapings.

Fig. III: A = increase at both ends. B = shape sleeve head, cast off.

To make up:

Block and press all parts lightly. Stretch trimming and press. Sew up dress and set in sleeves. At lower hem turn 4 cm, at neck and sleeves 1 cm to inside and hem lightly. Sew trimming round neck, sleeves and lower edge as shown on picture. Crochet around back opening, making a small button loop. Sew on button.



Size: 6 to 12 months

Material: 2 ozs fine baby wool, waist elastic

Stitch size: 4 3/4

Test square: 100 sts = 30 cm (11 3/4")

100 rows = 20 cm (8")

Pattern: stocking st, knitted in one piece

Fig. IX: Begin and end with contrast yarn.

A = waist hem, back. B = with BX and pushers

make graduations from inside out. C = knit straight.

D = decrease at both ends. E = knit straight. F = in-

crease at both ends. G and H = knit straight, release.

Leg bands: stocking st tubular. Begin and end with

contrast yarn. Make two.

With 45 sts on each bed and St.S 4 3/4 knit 16 rows

tubular (RC-16) then 2 rows tubular with St.S 5 3/4

and 16 rows tubular with St.S 4 3/4, release.

To make up:

Press lightly. Join side

seams. Fold waist in half

to inside and sew down, st

by st, unravelling contrast

yarn. Insert elastic. Sew

on leg bands, first outside

then inside, backstitching

into open loops and unrav-

elling contrast yarn.

Material: 475 metres length per 100 gr
149 yds per 1 oz
10 cm = approx. 4"

Baby's dress

Size: 6 to 12 months

Material: 7 ozs baby wool: 4½ ozs pale blue, 2½ ozs pink, 5 small buttons

Stitch size: stocking st 4 3/4, scallop edging 4½

Test square: 100 sts = 34 cm (13½"), 100 rows = 21 cm (8¼")

Pattern: stocking st, dress in pale blue with hem and edgings in pink

Fig.I: A = pink, knit straight. B = change to pale blue, knit straight. C = shape armholes. A few rows with contrast yarn, release. Press contrast yarn, unravel all but one row. Place sts of right half of back to machine, reducing number of sts from 80 to 32, i.e. on 1st nd place 2 sts, on second nd 3 sts, on third nd 2 sts and so on, unravelling contrast yarn. D = knit straight. E = at right shape shoulder, at left knit straight, cast off. Place sts of left half back to machine as before and knit sections D and E with reversed shapings.

Fig.II: A, B and C = as for Fig.I. Place sts onto nds of machine, reducing number of sts from 160 to 64. D = knit straight. E = divide work with BX and pushers. In the centre cast off 6 sts, at right continue straight, at left shape neck. F = at right shape shoulder, at left knit straight. Complete other shoulder with reversed shapings.

Fig.III: Begin and end with contrast yarn. A = knit 4 rows. B = make graduations starting from outer edge (BX and pushers), knit 2 rows stocking st, release.

Neck band: With 60 sts on each bed knit 18 rows stocking st tubular, a few rows with contrast yarn, release.

Material: 340 metres length per 100 gr approx. 106 yds per 1 oz
10 cm = about 4"

Fig.I

Fig.II

Fig.III




Fig.II

Fig.III





Fig.I

Fig.II

Fig.III



To make up trousers:

Block and press parts lightly. Join leg and crotch seams. Fold waist hem to inside and sew down st by st. Insert elastic. Make lower hems to desired measurements. Press creases.

Helmet


Fig.XII: A = border in 1:1 rib. B = transfer sts for stocking st and double cable stripe. Arrange sts for ear-flaps as follows: at right put 36 sts into Rest Position for sts 37 to 43 put the corresponding pushers into W.P., remaining pushers into R.P. Make graduations starting from inside for ear-flap. Knit 4 rows, then cross sts for cable. After having finished the graduations for ear-flap, return all pushers to R.P. At left, work ear-flap and cable in the same way. (If desired, omit ear-flaps, i.e. knit section A. omit section B and continue with section C). C = knit straight with cable stripes. D = transfer sts for 1:1 rib. Put all sts on a thread, draw up and fasten off.

To make up helmet:

Join back seam and sew on pompon.


Cable pattern:

Handle down, black strippers



Back: N
Front: N
cross sts 1 and 2 with sts 3 and 4
knit 6 rows
repeat

Scalloped edging for sewing on:



2 rows N
6 rows AX
knit about 21.0 cm

To make up:

Block and press all parts lightly. Join shoulder seams. Sew neck band to neck, first outside, then inside, backstitching into open loops and unravelling contrast yarn. On sleeves unravel contrast yarn of section A and secure loose sts under scallop edging. Unravelling contrast yarn and backstitching into the open loops set in sleeves, taking 2 sts at a time to ease in fullness of sleeve. Fold section A of dress in half to inside and hem lightly. Sew on edging as shown on illustration. At left side of back opening work 2 rows of single crochet for underlap, at right side work 3 to 4 rows of single crochet, making 5 equally spaced buttonholes in the second row. Sew on button to match. Press hem and seams.

2050 PASSAP - DUOMATIC + U70

Rompers in transfer pattern U 70

Size: about 8 to 12 months

Material: 3 1/2 ozs fine cotton yarn, 2 buttons


Stitch size: stocking st 4 3/4, 1:1 rib = 2 1/4, pattern = back 2 3/4, front 4 3/4

Test square: 100 sts = 34 cm (13 1/4") only sts on front bed are counted

Transfer pattern: 100 rows = 20 cm (8")

Transfer pattern:

Handle down, black strippers




back: front:
4 rows AX → N
transfer sts from back to front bed
rack 3 nds to left
4 rows AX → N
transfer sts
repeat

*from back to front
rack 3 nds to right
repeat*

Fig. IX + XVI

Material: 520 metres length per 100 gr
approx. 163 yards per 1 oz
10 cm = approx. 4"



2051 PASSAP - DUOMATIC + U70

Material:

520 metres length per 100 gr
approx. 163 yards per 1 oz
10 cm = approx. 4"

Size: 8 to 12 months

Material: about 2 ozs fine cotton yarn, stirring elastic

Stitch size: pattern back 2 3/4, front 4 3/4, stocking st 4 3/4
EX/N = 4, 3, and 2 1/2

Test square: as for model 2050


Pattern: brim in EX/N with racking, hat in pattern according to model 2050 and stocking st

Fig. XII: A = cast on with racking, set lock at back to EX, at front to N. Work brim in following pattern: knit 2 rows, rack 1 nd to left, knit 2 rows, rack 1 nd to right. Knit 10 rows with St. S 4, 10 rows with St. S 3 and 10 rows with St. S 2 1/2. Transfer all sts to front bed (with transfer lock U 70) B = knit 40 rows in pattern according to diagram of model 2050. C = continue in stocking st. At right miss 32 sts. Over remaining sts knit 2 rows with contrast yarn with lock set on BX and pushers. With the 32 sts at right shape first triangle with BX and pushers according to diagram. Unravel contrast yarn and with the next 32 sts shape second triangle and so on.

To make up:

Block and press all parts. Sew up. Between sections A and B run 2 rows of shirring elastic through knitting.

Fig. XII



2055 PASSAP - DUOMATIC

Child's track-suit

Size: 2 to 3 years

Material: 13 ozs synthetic bouclé yarn, 1 zip 30 cm long
shirring elastic

Stitch size: stocking st 5, 1:1 rib = 2 1/2

Test square: 100 sts = 34 cm (13 1/2"), 100 rows = 18 cm (7")

Pattern: reverse stocking st, borders in 1:1 rib

Fig. IX + I

Fig. IX + II




Fig. III




Fig. IX + I, legs and back: A 1 = 1:1 rib for border. B 1 = transfer sts for stocking st, increase at both ends. C 1 = at right knit straight, at left shape crutch. Put all sts on deckercombs or thread. Knit other leg (A 2, B 2 and C 2) with reversed shapings. D = place sts of both legs in 1:1 division back on to nds of machine, knit 14 rows in 1:1 rib. E = transfer sts for stocking st, knit straight. F = shape armholes. G = knit straight. H = shape shoulders, cast off.

Fig. IX + II, leg and right front: A, B and C = as for Fig. I. D = at left cast on 4 sts, continue straight. E = transfer sts for 1:1 rib, continue straight. F = transfer sts for stocking st, knit straight. G = at right shape armhole, at left knit straight. H = straight, at left cast off 10 sts. J = at right knit straight, at left shape neck. K = shape shoulder.

Knit left front with leg according to diagram with reversed shapings. Fig. III: A = 1:1 rib. B = transfer sts for stocking st, increase at both ends. C = decrease at both ends, cast off.

Neck band: Begin and end with contrast yarn. With 68 sts knit 80 rows in 1:1 rib, release.

To make up:


Block and press all parts lightly. Join front and back. Join leg seams along sections A and B. Join crutch seam along section C, back and front. Sew collar to neck edge, first outside, then inside, backstitching into the open loops and unravelling contrast yarn. Work 1 row of single crochet along front edges. Set in zip. Join sleeve seams and set in sleeves. Fold cuffs and leg borders in half to inside and sew down. At waist, run 2 rows of shirring elastic through knitting.

Material: 330 metres length per 100 gr approx. 103 yards per 1 oz 10 cm = approx. 4"

2054 PASSAP - DUOMATIC

Fig. I, II + III

Pattern:
Handle down, pink strippers



Baby's hooded jacket

Size: about 6 months
Material: 9 ozs medium baby wool with shiny thread
Stitch size: stocking st 5 3/4, pattern front 3 3/4, back 3
Test square: 100 sts = 26 cm (10 1/4"), 100 rows = 13 cm (5 1/8")
Pattern: hem and hood facing in reverse stocking st, jacket and hood in pattern according to diagram

Fig. I, II and III, jacket: Knit sections A to E once according to diagram (left front) and once with reversed shapings (right front). For girls work buttonholes at right, for boys at left as follows: knit 6 rows in pattern, then at front edge miss 6 sts, knit with contrast yarn over following 6 sts (3 front 3 back). Knit 40 rows. Repeat 3 more times.

A = for hem cast on 30 sts on back bed, knit 16 rows in stocking st. B = on front bed put 30 nds into W. P. according to diagram and knit 116 rows in pattern, starting buttonholes if desired, after having knitted 6 rows in pattern. C = increase at right for sleeve, knit straight at left. D = knit straight at right, at left shape neck. E = knit straight. Then take all sts on deckercombs or thread. Knit right front at left of machine with reversed shapings. In the centre cast on 34 additional sts for back of neck, at right place sts of left front back on to nds of machine. F = over a total of 202 sts continue straight in pattern (begin of back). G = at both ends decrease for sleeves. H = knit straight. J = transfer all sts from front to back bed and knit 16 rows in stocking st. Cast off loosely.


Fig. XII: A = cast on 64 sts on back bed and knit 20 rows in stocking st. B = on front bed put 64 nds into W. P. according to diagram. Knit 104 rows straight in pattern, cast off.

Cord: With 3 sts on each bed knit 100 cm in stocking st tubular.

To make up:

Join side and sleeve seams. Fold hem in half to inside and sew down. Work 1 row of single and 1 row of double crochet along neck edge, starting and ending 2 cm away from centre front edges. Neaten buttonholes and sew on buttons. Join centre back seam of hood. Fold section A of hood in half to inside and sew down. Work 1 row of single and 1 row of double crochet along lower edge of hood. Place double crochet row of hood over double crochet row of jacket and thread cord through holes of both rows together.

Fig. XII



2059 PASSAP - DUOMATIC

Girl's dress with pleated skirt and 4-coloured top Back cover

Size: 10 to 14 months

Material: 5 1/2 ozs medium wool: 3 1/2 ozs pink, 2 ozs green, 1 1/2 oz each of navy blue and white, 5 small buttons

Stitch size: stocking st 4 3/4, 1:1 rib 2 1/2, pattern 5 1/2

Test square: 100 sts = 32 cm (12 1/2"), 100 rows = 22 cm (8 3/4")
100 sts = 30 cm (11 3/4"), 100 rows = 15 cm (6")

Pattern: Skirt with pink in stocking st, crocheted creases at pleats, top and sleeves in 4-colour pattern according to diagram (see model 2058, outfit on page 44)

Fig.I: Start with contrast yarn on front bed, then transfer sts for 1:1 rib. A = with green, knit 1:1 rib for waist band. B = continue straight in pattern according to diagram (see model 2058). C = shape armholes, then straight. D = shape shoulders, cast off.

Fig.II: Right front according to diagram. A and B = as for Fig. I. C = at right knit straight, at left shape armhole, then straight. D = at right shape neck, at left knit straight, at left shape shoulder.

Knit left front as right, but on back bed (pattern; look set at back on BX ←, at front on GX)

Fig. VII + VIII

Material: 430 metres length per 120 gr approx. 135 yards per 1 oz
10 cm = approx. 4"




Fig. IV





Fig. III: A = 1:1 rib with pink. B = continue in pattern, increasing at both ends. C = shape sleeve head, cast off.
Fig. IV: collar: A = outer edge band with pink, in 1:1 rib, at both ends put 20 sts on thread. B = continue in pattern. For continuation of work see model 2058 Fig. IV, Eton collar.

Buttonhole band, green: Cast on 56 sts for 1:1 rib and knit 5 rows. Make 5 buttonholes thus: place 4th st on 3rd st and 5th st onto 6th st, 16th st onto 15th st and 17th st onto 18th st, 28th st onto 27th st and 29th st onto 30th st, 40th st onto 39th st and 41st st onto 42nd st, 52nd st onto 51st st and 53rd st onto 54th st. Knit 5 rows, then transfer sts for stocking st, a few rows with contrast yarn, release.

Button band: Knit as buttonhole band, omitting buttonholes.

Fig. VII + VIII: Skirt. Knit two parts alike.
A = 1:1 rib. Transfer sts to front bed for stocking st. B = for pleats put 1 nd on back bed into W.P. between 30th and 31st nd, 60th and 61st nd, 90th and 91st nd... and so on. With 6 nds on back bed, lock set on N/N, continue straight. Cast off.

To make up:
Block and press all parts. On skirt work 1 row of single crochet along each stocking st row on the wrong side of knitting. Then, counting from the right edge, crochet 1 row of chain sts along sts 8, 38, 68, 98, 128 and 158. Join skirt hiding seams in pleats and leaving 4 cm open at top of one seam for centre front opening. Tack pleats and press lightly. Join side, shoulder and sleeve seams. Set in sleeves. At right front opening, sew on buttonhole band, at left buttonband, backstitching into the open loops and unravelling contrast yarn. Sew collar to inside of neck edge, backstitching into the open loops and unravelling contrast yarn. Sew on buttons. Tack waist band on pleats of skirt, then sew on, backstitching into the open loops and unravelling contrast yarn. Remove tacking thread and press pleats again.

2065 PASSAP - DUOMATIC

Pram cover

Size: 52 by 65 cm


Material: 10 ozs medium wool, white, 1 oz yellow, 1 oz blue

Stitch size: 5 1/2

Test square: 100 sts = 43 cm (17"), 100 rows = 16 1/2 cm (6 1/2")

Pattern:

Handle up, blue strippers



Back: N
Front: AX O white
N ← yellow, resp. blue

Material: 300 metres length per 100 gr approx. 9 1/2 yards per 1 oz
10 cm = approx. 4"

How to knit:

Knit once with white and yellow and once with white and blue.

Cast on 121 sts with white an knit 394 rows in pattern. Cast off.

How to make up:

Block and press all parts lightly. Sew together. With 12 strands of wool (20 m long) make twisted or knotted cord. Final length of cord about 225 cm.

Sew cord round outer edge of cover.

46/B

Fig. 3.

2067 PASSAP - DUOMATIC

Baby's sweater

Size: 8 to 12 months

Material: 3 ozs fine baby wool with shiny thread, 1 small button

Stitch size: stocking st 4 1/4, 1:1 rib 2 1/2

Test square: 100 sts = 28 cm (11"), 100 rows = 21 cm (8 1/4")




Pattern: stocking st, ribbed borders

Fig. I: 1:1 rib for border. B = transfer sts to front bed, continue straight in stocking st. C = at both ends cast off 11 sts for armhole, straight. D = divide work, at left put 39 sts on deckercombs, knit right shoulder according to diagram; at left cast on 6 sts, knit straight. Drop the first of these 6 sts to beginning of section D. (Later on, crochet ladder made by dropped stitches with green tool, taking 2 threads at a time) E = shoulder shaping with graduations (BX and pushers), a few rows with contrast yarn, release these 25 sts (shoulder). F = neck band: knit straight, a few rows with contrast yarn, release. Now, return 39 sts of left shoulder onto nds of machine. At right cast on 6 sts. Complete left shoulder with reversed shapings.

Fig. II: A, B and C = as for Fig. I. D = divide work with BX and pushers. Knit first shoulder according to diagram: at right knit straight, at left shape neck with graduations. E = at right shoulder shaping with graduations, at left knit straight. A few rows with contrast yarn, release these 25 sts (shoulder). Knit second shoulder with reversed shapings. F = at right and left of remaining 38 sts replace 5 sts of inner edges of sections E. With 38 sts continue straight, a few rows with contrast yarn, release.

Fig. III: A = 1:1 rib. B = transfer sts for stocking st, increase at both ends. C = knit straight, a few rows with contrast yarn, release.

Material: 585 metres length per 100 gr approx. 183 yards per 1 oz 10 cm = approx. 4"



To make up:

Block and press all parts. Join shoulder seams, grafting sts together and unravelling contrast yarn. Join neck band with mattress stitch. At section B of back turn 6 sts to inside and sew down (crocheted stitch = fold line). Turn neck band in half to inside and sew down, st by st, unravelling contrast yarn. Sew sleeves to inside of sections C and D, unravelling contrast yarn, matching edges of section C of sleeve with cast-off sts of armhole (match arrows and dots). Join side and sleeve seams. Fasten neck band with button loop and button.

2063

Continued from page 46

mind: CA = BX ← BX ←
each row links open

CA = BX → BX →
each row links open

A, C and D = half tubular, open at right. Before casting on, rack back bed to the right. Begin with contrast yarn. Place sts exactly in the centre (see needle scale).

A = waist hem, half tubular, open at right, knit straight. B = at right make graduations on front bed with BX and pushers (release arrow keys) start with 1 pusher. C = knit half tubular, straight. D = thigh shapings on front bed.

Note: Mark nds on which sts have always to be transferred thus: put a drop of coloured varnish on pushers 1 and 4 at left of centre (see needle scale). From right transfer sts to nd 1, from left transfer sts to nd 4. First move one half of sts 1 nd to the right. (There will be 2 sts on nd marked "1")

First decreasing: At right move one half of sts 1 nd inwards (there will be 2 sts on nd 1) at left move sts by 1 nd inwards (there will be 2 sts on nd 4.)

At left transfer 1 st from back to front bed, returning empty nd to N.P. Rack 1 nd to left. Continue according to diagram. Further decreasing as before, always moving sts inwards onto nds 1 and 4. E = continue knitting tubular with lock set on CX/CX. For decrease put sts from both ends 1 nd inwards onto marked nds. For every alternate decreasing transfer 1 st from back to front, at both ends, and undo st at right by 1 row. F = tubular straight. G = leg shaping as for section E. H = tubular, straight. J + K = heel, knit on front bed with BX and pushers. L = tubular straight. M = toe, at both ends decrease with double decker, back and front, take last few sts on a thread, draw up and fasten off.

Knit left part with reversed shapings, i.e. at the beginning rack back bed to the left, knit sections A to D, open at left, for decreasing mark nds 1 and 4 at right of centre. Knit sections H to M as for right part.


Fig. X: gusset, same size for all. Begin with 3 sts. A = increase at both ends. B = decrease at both ends. Cast off.

To make up: Press contrast yarn. Join leggings along crutch seam (sections A, B and C), leaving back seam 13 cm and front seam 7 cm open for gusset. Set in gusset with longer point at back. Fold waist hem (section A) in half to inside and sew down, st by st, unravelling contrast yarn. Press leggings. Insert elastic.

47/B

2035 PASSAP - DUOMATIC

Fig. I



Sweater

Size: about 1 to 1 1/2 years

Material: about 5 1/2 ozs medium wool, turquoise, 8 buttons

Stitch size: 1:1 rib = 1 1/2, pattern = 4

Test square: 100 sts = 32 cm (12 1/2"), 100 rows = 12 cm (4 3/4")

Material: 350 metres length per 100 gr approx. 110 yards per 1 oz
10 cm = approx. 4"

Pattern:




Fig. I: A = 1:1 rib, B, C and D = knit in pattern

Fig. II: A = 1:1 rib, B and C = continue in pattern.

D = divide work, knit in pattern. E = knit in pattern.

Fig. III: A = 1:1 rib, B and C = continue in pattern.

Neck band: With 30 sts knit 7 rows in 1:1 rib. Bring all ends into W.P. and

knit 2 rows tubular, then 4 rows stocking st on back bed and 4 rows

stocking st on front bed. With contrast yarn knit 2 rows tubular and

2 rows K/K, release.

Front: Cast on 45 sts and knit in the same way as back.

To make up:

Block and press all parts lightly. Sew up, leaving shoulder seams open.

Sew on neck band, first outside then inside, backstitching into the open

loops and unravelling contrast yarn. Work 1 row of single crochet

around shoulder opening, making 4 button loops at right and left front.

Sew on buttons to correspond.

2032 PASSAP - DUOMATIC

Fig. I + II




Fig. III

Material: 350 metres length per 100 gr approx. 110 yards per 1 oz.
10 cm = approx. 4"

Baby's sweater

Size: about 3 to 6 months

Material: 3 1/2 ozs Babywool (4-ply) 1 yard ribbon

Stitch size: 1:1 rib 3, pattern 5

Test square: 100 sts = 37 cm (14 1/2"), 100 rows = 16 cm (6 1/4")

Pattern:

blue strippers




Fig. I and II: A = knit in pattern, B = knit in pattern, C = continue in

1:1 rib, after 20 rows make an open work row.

Fig. III: A = 1:1 rib, B and C = continue in pattern, D = continue in

1:1 rib, after 20 rows make an open work row.

To make up:

Block and press all parts. Sew up. Pull ribbon through holes at wrist and

neck.

2064 PASSAP - DUOMATIC

49/B

Fig. I





Fig. II



Material: 533 metres length per 100 gr approx. 167 yards per 1 oz
10 cm = approx. 4"

Child's coat with cap

Size:

about 1 1/2 to 2 1/2 years

Material: 12 1/2 ozs fine wool, 4 buttons, 1 small button

Stitch size: pattern 3 1/4, tubular 5 1/2, 1:1 rib for cap = 3 1/2

Test square: 100 sts = 24,5 cm (9 3/4"), 100 rows = 15,5 cm (6")

Pattern:

Handle down, pink strippers




Fig. III




Fig. XII




Fig. I: A to C = knit in pattern

Fig. II: Knit once according to diagram, once with reversed shapings. A to D = knit in pattern, on right front make buttonholes.

Fig. III: A = knit in pattern, set lock at back on AX, knit 2 rows in N/N. B = knit pattern according to diagram. C = knit in pattern.

Neck band: Cast on 116 sts and knit 28 rows in pattern, then 12 rows tubular, a few rows with contrast yarn, release.

Fig. XII, cap: A = knit in pattern, setting lock at back on AX, at front on N, then knit 2 rows in N/N. B = continue in pattern according to diagram. C = 1:1 rib, cast off.

Straps (make two): With 23 sts on each bed knit 12 rows tubular. At both ends decrease 1 st, back and front, every 8th row, 3 times. Then decrease 1 st every 4th row, seven times. With remaining 6 sts knit 160 rows tubular, cast off.

To make up:

Coat: Block and press all parts lightly. Sew up. Set in sleeves. Sew on neck band, first outside then inside, backstitching into the open loops and unravelling contrast yarn, starting and ending 4 cm away from front edges. At overlap make button loop, at underlap sew on small button to match button loop. Neaten buttonholes and sew on buttons.

Cap: Join seam. Draw up 1:1 rib rows and sew on pompon or little bow for final touch. Sew straps to both sides of cap.

50/8

Material: 585 metres length per 100 gr
approx. 183 yards per 1 oz
10 cm = approx. 4"

Leggings with straps

Size : about 1 year

Material

Stitch size :

Test source :

Pattern •

Fig. 1, back: A = point of strap: with 4 sts on each bed knit tubular, increasing at both ends as follows: back and front remove 1 st 1 nd outwards. Place purl loop of outer stitch onto empty nd and knit 4 rows tubular. Following increases as before, but using double decker tool. B = stocking st tubular. Put all sts on deckercombs. Knit other strap in the same way at left of machine, i.e. start with nds 23 to 26. Leave sts on machine. At right miss 32 nds, then place sts of first strap onto nds of machine, back and front. Put nds of both beds into W. P. and knit 1 row N/N and 19 rows CX/CX. Transfer all sts to front bed. D = continue in stocking st, on back bed put 3 nds each side into W. P. according to diagram (armholes and neck). At both ends increase with triple decker tool, leaving empty nds in W. P. On back bed move the 3 sts 1 nd outwards. In the last row cast on 6 sts at both ends and transfer the 3 sts on back bed to front bed. E = continue straight in stocking st. F = transfer sts for 1:1 rib, knit straight. After 11 rows make an open work row. Transfer sts to front bed. With contrast yarn knit a few rows stocking st, release.

With contrast yarn knit a few rows stocking st., release.

Fig. II, front: (On back bed) A = hem, tubular. Transfer all sts to back bed. B = on front bed put 3 nds each side into W.P., front; for armhole edgings. Increase as for Fig. I/D. C = transfer the 3 sts on front bed to back bed and continue straight. D = 1:1 rib, after 11 rows make an open work row. Transfer sts to back bed. Place sts of Fig. I (back) onto nds of front bed. Fig. IX and XIV, pants and legs: A = with a total of 96 sts knit stocking at tubular. B = half tubular, open at left; divide work with BX and pushers; at right back put 48 pushers into W.P., at right front put 48 pushers in R.P. Press left arrow keys, knit straight. C = knit right leg according to diagram; knit tubular with BX and pushers, pressing both arrow keys. At right knit straight, at left decrease with double decker tool. D = tubular. E = heel; knit on front bed (returning back bed pushers within blocking rail). Decrease and increase with BX and pushers. F = knit tubular as for section D. G = at both ends decrease, back and front. Put last sts on a thread, draw up and fasten off. Return pushers within blocking rail. Knit left leg with reversed shapings: At back put 48 pushers in R.P., at front into W.P., press right arrow keys. B = half tubular, open at right. C = tubular with CX/CX, decrease at right with double decker tool, at left knit straight. D to G according to diagram.

To make up:

Crochet chain stitches along zig-zag cast-on of Fig. I/section C, picking up every alternate thread. Join side seams. At 10 make up.

both points of straps make a buttonhole lengthwise, sew through double thickness of material; second, cut open. At least sew on buttons to match buttonholes. Pull cord or elastic through holes at waist.

10

Armhole edgings :

Handle down. black strippers

$$RZ = RC$$

$\frac{CX}{N}$
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
0.08
0.09
0.10
0.11
0.12
0.13
0.14
0.15
0.16
0.17
0.18
0.19
0.20
0.21
0.22
0.23
0.24
0.25
0.26
0.27
0.28
0.29
0.30
0.31
0.32
0.33
0.34
0.35
0.36
0.37
0.38
0.39
0.40
0.41
0.42
0.43
0.44
0.45
0.46
0.47
0.48
0.49
0.50
0.51
0.52
0.53
0.54
0.55
0.56
0.57
0.58
0.59
0.60
0.61
0.62
0.63
0.64
0.65
0.66
0.67
0.68
0.69
0.70
0.71
0.72
0.73
0.74
0.75
0.76
0.77
0.78
0.79
0.80
0.81
0.82
0.83
0.84
0.85
0.86
0.87
0.88
0.89
0.90
0.91
0.92
0.93
0.94
0.95
0.96
0.97
0.98
0.99
1.00

$$\begin{array}{r} + 6 \times 702.8 \\ + 4 \times 704.8 \\ \hline \end{array}$$

064
222

222

51/B

From cardboard cut two discs 2,5 cm in diameter and make a hole in the centre, leaving a rim of approx. 1,7 cm. Place the two discs one on top of the other. Wind plenty of wool around the double rim. Then cut wool outside between the discs and tie tightly in the centre. Leaving surplus yarn ends. Remove discs. Trim pompon to shape and hold over steam to get fluffy effect.

2070 PASSAP - DUOMATIC

Material: 390 metres length per 100 gr approx. 122 yards per 1 oz
10 cm = approx. 4"

Pants

Size: about 1 year
Material: a little more than 2 ozs baby wool, waist elastic
Stitch size: stocking st 5, 1:1 rib borders 2½
Test square: 100 sts = 34 cm (13½"), 100 rows = 21,5 cm (8½")
Pattern: stocking st with borders in 1:1 rib

Fig. IXa : (Back)

With contrast yarn cast on 22 sts for crutch, knit a few rows and put sts on deckercomb. A = for first leg band cast on 40 sts in 1:1 rib and knit 10 rows. Transfer sts to front bed for stocking st. Put sts on deckercomb. For second leg band cast on 40 sts at left of machine, knit 10 rows, transfer sts to front bed. At right place the 22 sts in contrast yarn (for crutch) and then the 40 sts on deckercomb for first leg. B = graduations with BX and pushers starting from inside, starting graduations with the 22 pushers for crutch. At both ends, at opposite side to lock, put 5 pushers into W.P. C = stocking st, decreasing in the centre, i.e. every 4th row move 40 sts 1 nd inwards, at both ends, using deckercomb. D = at both ends make graduations starting from outer edge (BX and pushers) E = transfer sts for 1:1 rib. In the 8th row make an open work row. Cast off.

Fig. IXb : (Front)

Start crutch with contrast yarn as for Fig. IXa. A = as for Fig. IXa. B = stocking st with decreasing in the centre. C = 1:1 border, in the 8th row make an open work row. Cast off.


To make up:

Press both parts. Graft sts of crutch together, unravelling contrast yarn. Join side seams. Pull elastic through holes at waist.

Fig. IXa




Fig. IXb



2072 PASSAP - DUOMATIC

Fig. IX



Pattern:



Fig. IXa





Fig. IXb



Leggings

Size: 4 to 6 months
Material: about 3½ ozs medium baby wool
Stitch size: stocking st tubular 5½, pattern 4, K/K 3
Test square: pattern: 100 sts = 29 cm (11½"), 100 rows = 16 cm (6¼")
stocking st: 100 rows = 21,5 cm (8½")
100 sts = 32 cm (12½")

Fig. IX, leggings:

Begin with contrast yarn. A = tubular, stocking st. In the centre put 10 sts on a thread, back and front. Put sts at left of machine on deckercombs. Then knit first leg according to diagram: B = knit tubular, at right straight, at left decrease with double decker tool. In the 120th row tubular, make an open work row. C = work heel on front bed: increase and decrease with BX and pushers. D = tubular. E = decrease at both ends, back and front. Put last sts on a thread, draw up and fasten off. For second leg, place sts on deckercombs back onto nds of machine and knit sections B to E, reversing shapings.

Fig. IXa, back top: A = place sts of back of leggings onto 68 nds of machine, unravelling contrast yarn. Continue in K/K, making an open work row in the 8th row. B to D = continue in pattern I. E = K/K.

Fig. IXb, front top: A to C = as for Fig. IXa. D = K/K.

To make up:

Join side seams, graft loose sts of crutch together. Make a button loop on each strap, sew on buttons. Pull cords through holes at waist and ankles.

Material: 350 metres length per 100 gr approx. 110 yards per 1 oz
10 cm = approx. 4"

2076 PASSAP - DUOMATIC

Skirt with braces and fairisle border

Size: 2 to 3 years

Material: 5 1/2 ozs fine dralon; 3 1/2 ozs blue and 2 ozs white, waist elastic

1 1/2" wide, 2 small buttons

Stitch size: fairisle 3, stocking st 3 1/2

Test square: 100 sts = 16.5 cm (6 1/2")

Pattern: Skirt with fairisle motif 1 (or PASSAP Jac pattern card 45)

bib in pattern with motif 2.



Fig. VIII: A = with blue make cast-on with zig-zag, then 12 rows with CX/CX, 1 row N/N. B = continue in fairisle stitch according to diagram until row counter reads 16 (begin with 2 rows white) then knit motif 1 according to diagram or using PASSAP Jac pattern card. Then continue in fairisle stitch (without motif) until row counter reads 232. C = transfer all sts to front bed and knit 48 rows stocking st with blue. A few rows with contrast yarn, release.

Fig. VII + II: A and B = as for Fig. VIII. C = for waist band set lock at back on GX, at front on N. With 163 sts knit 24 rows stocking st in blue on front bed. Then set lock at back on N, at front on GX, and with 163 sts knit 24 rows stocking st on back bed. Over 62 nds at right front knit a few rows with contrast yarn. In the centre miss 41 sts, over remaining 62 sts at left knit a few rows with contrast yarn. On back bed leave 40 sts in the centre, at right knit 63 sts, at left 62 sts with contrast yarn, release. D = with 81 sts knit in fairisle stitch until row counter reads 16, then knit motif 2. Finish off with RC 16 in fairisle stitch. E = transfer all sts to front bed, knit 12 rows in stocking st blue, a few rows with contrast yarn, release.

Braces: Fairisle pattern according to pattern. Make two.

With 9 nds on front bed and 8 nds on back bed knit straight until RC reads 306. Make buttonhole thus: at left return 5 pushers on front bed and 4 pushers on back bed within blocking rail, knit RC 8, break off. Return pushers at left to W.P. and return pushers at right within blocking rail, knit RC 8, break off. Put all pushers into W.P. Shape point thus: every 4th row decrease 1 st at both ends, back and front, 4 times. Darn ends into edges of work.

Fig. VIII



Pattern: Fairisle stitch
Handle down, pink strippers


Back: BX
Front: BX

2 rows white
2 rows blue
etc.

Material: 800 metres length per 100 gr approx. 251 yards per 1 oz
10 cm = approx. 4"

Motif 2

centre X = white, empty square = blue




To make up:

Press contrast yarn. At both sides of bib, graft loose sts together, unraveling contrast yarn. Join side seams. Fold section C of Fig. VIII in half to inside and sew down, st by st unraveling contrast yarn. Sew on braces and buttons.

Motif 1 (PASSAP Jac pattern card 45 (392)) centre

X = white, empty square = blue 1 square = 1 st = 2 rows = RC 4



2071 PASSAP-DUOMATIC

Baby's long-sleeved overall

Size: 1 to 3 months

Material: about 4 ozs baby wool or synthetic yarn, 6 small buttons
Stitch size: stocking st 4 3/4. 1:1 rib 2 3/4

Sutitch size: stocking at $\pm 3/4$, 1:1 R10 2 3/4
Test square: 100 sts = 34 cm (13 1/2"). 100 rows (RC 200) = 21 cm (8 1/4")

Pattern: stocking st tubular, cuffs and waist in 1:1 rib.

Fig. II. Right front: A = cast on. At right knit straight, at left shape neck. B = transfer sts for 1:1 rib, in the 5th row make an open work row. C = transfer sts for stocking st, knit straight. D = transfer cast off 1 st at right, put sts on deckercomb.

Left front: Knit with reversed shapings. Put sts on deckercomb.

Material: 440 metres length per 100 gr
approx. 158 yards per 1 oz
10 cm = approx. 4"




Fig. 1 + IX. back and legs: A = knit straight in stocking st. B = 1:1 rib, in the 5th row make an open work row. C = knit straight, at both ends cast off 1 st. At left put 40 sts on deckercombs. Now, place sts of left front onto nds of back bed opposite the remaining 40 sts on front bed (with wrong side facing you) and knit left leg in stocking st tubular according to diagram: D = at right knit straight, at left back and front decrease with double decker tool. E = knit heel on front bed: increase and decrease with BX and pushers. F = tubular, straight. G = tubular, decrease with double decker tool. H = last sts on a thread. draw up and fasten off.

For right leg, place the 40 sts of left half of back onto rnds of front bed with right side facing you, sts of right front onto rnds of back bed opposite the sts on front bed (wrong side facing you). Repeat sections D to G with reversed shapings.

Fig. III: A = 1:1 rib. B = transfer sts for stocking st, knit straight. A few rows with contrast yarn.

Edging for neck and front opening :

With 3 sts on each bed knit 80 cm in stocking st tubular.

Cord. With 2 sts on each bed knit 90 cm in stocking st tubular.


To make up:

Join shoulder seams. Sew sleeves to armholes with back stitch and unravelling contrast varm. Join side and sleeve seams. Join centre front opening for about

3 cm. With back st sew on edging along centre front edges and round neck, leaving 6 openings for buttonholes on one side. Sew on buttons to match these buttonholes. Press edgings. Pull cord through holes at waist.

$$RZ=RC$$

Fig. 1+IX



2082 PASSAP - DUOMATIC

Rib with picot edging


about 1 lb one cotton worm (not macerized)

Material: about 1-1/2 ozs each of steel and 1 lb

Sheet size:

Test square: 100 sts = 22 cm (8 7/8"), including 10% stockinette stitch.

Material: 400 metres length per 100 gr
approx. 125 yards per 1 oz
10 cm = approx. $\frac{4}{16}$ "



Picot pattern including cast-on:
Handle down. pink strippers

Back:	Front:	St.S
1 row N	N	2 3/4
3 rows AX	AX	2 3/4
1 row AX	AX	4 1/2
rack 1 nd to right		
1 row N	N	2 3/4
rack 1 nd to left		
1 row N	N	2 3/4
1 row EX	EX	2 3/4
1 row N	N	2 3/4
back and front all nds into W.P.		
1 row N	N	2 3/4
2 rows CX	CX	2 3/4
black strippers		
rows CX	CX	4 1/2

Continued on page 55

Press bib and contrast yarn. Sew picot edging to side edges of bib, first outside then inside, backstitching into the open loops and unravelling contrast yarn (stretch picot edging). Work 1 or 2 rows of single crochet along neck and shoulder edge. Sew on knitted cord, press again.

2075 PASSAP - DUOMATIC

Light summer sweater

Size: about 1 year
Material: 3 ozs green cotton yarn, an oddment white, 4 small buttons
Stitch size: stocking st 4 3/4, 1:1 rib 2 1/2
Test square: 100 sts = 32,5 cm (12 3/4"), 100 rows = 21 cm (8 1/4")
Pattern: stocking st green with white stripes as desired, waist and sleeve borders in 1:1 rib green, neck band in 1:1 rib white.

Fig. I: A = 1:1 rib. B = transfer sts for stocking st, continue straight. C = shape armholes, then straight. D = shape shoulders. E = transfer sts for 1:1 rib, knit 14 rows with white, cast off.

Fig. II: A, B and C = as for Fig. I. D and E = shape neck with BX and pushers. First knit left shoulder according to diagram. D = at right knit straight, at left shape neck with graduations. E = at right shoulder shaping, at left knit straight. For right shoulder repeat sections D and E with reversed shapings. F = at both ends of remaining sts, for neck band place 5 sts of unshaped edges of sections F onto nds. Knit 1 row with white. Transfer sts for 1:1 rib and knit 13 rows with white, cast off.

Fig. III: A = 1:1 rib with green. B = transfer sts for stocking st, increase at both ends. C = shape sleeve head, cast off.

To make up:
 Block and press all parts. Join side and one shoulder seam including neck band. Join other shoulder opening for about 1 cm. Along front shoulder work 4 rows of single crochet, making 4 buttonholes in the second row. Along back shoulder work 2 rows of single crochet for underlap. Sew on buttons. Join sleeve seams, set in sleeves.

Material: 450 metres length per 100 gr
 approx. 141 yards per 1 oz
 10 cm = approx. 4"

Fig. I




Fig. II




Fig. III



2079 PASSAP - DUOMATIC

Material: 400 metres length per 100 gr
 approx. 125 yards per 1 oz
 10 cm = approx. 4"

Bib with straight edging

Material: about 1 1/2 ozs cotton yarn (not mercerized)
Stitch size: back 2 1/2, front 4 1/2, tension arm 9, yarn brake 3 1/2
Test square: 100 sts = 32 cm (12 1/2"), 100 rows = 21 cm (8 1/4")
Pattern: stocking st, purl side outwards. Edgings and motif in "long stitch" pattern on back bed, according to diagram.

Long stitch pattern:
 Handle down, black strippers




A = with 78 sts on back bed and 79 sts on front bed make zig-zag, St. S 1. Change to St. S 2 1/2 and knit 2 rows CX/CX, then 10 rows "long stitch" pattern according to diagram. B = at both ends leave 5 sts on back bed, transferring centre 68 sts to front bed. Knit 34 rows. Knit motif thus: on back bed put centre nd into W.P. and knit 2 rows. At both sides of centre nd put 1 more nd into W.P. (3 nds altogether) and knit further 2 rows, etc. etc. until there are 25 nds in W.P. Then, at both ends and every alternate row move edge sts of motif 1 nd inwards. Transfer last st to front bed. C = divide work, casting off centre 7 sts. Knit first half according to diagram: at right knit straight, at left shape neck, then continue straight. D = on back bed put all nds into W.P. and knit 10 rows in "long stitch" pattern. Transfer sts to front bed and cast off tightly. Knit second half with reversed shapings.

Cord: Knit tubular and half tubular. With 4 sts on each bed and lock set on CX knit 220 rows tubular, then 220 rows half tubular (with BX and pushers, pressing right arrow keys). Lastly, knit 220 rows tubular, cast off.

To make up:

Sew cord with open edge to neck, first to outside using back stitch, then to inside. Press bib.



2077 PASSAP - DUOMATIC

Light summer blouse with scallop edgings

Size: 2 to 3 years

Material: 2 ozs fine dralon white, an oddment blue, 4 small buttons

Stitch size: stocking st 4, 1:1 rib and K/K = 2

Test square: 100 sts = 30, 5 cm (12"), 100 rows = 19 cm (7 1/2")

Pattern: stocking st with scallop edgings on sleeves and collar according to diagram, waist band in 1:1 rib

Fig. I: A = 1:1 rib. B = transfer sts for stocking st, straight. C = shape armholes, then straight. D = shape shoulders, a few rows with contrast yarn, release.

Fig. II: A and B = as for Fig. I. C = at left put 49 sts on dekercombs. Knit first shoulder according to diagram: at right shape armhole, at left cast on 5 sts, then straight. D = at right knit straight, at left shape neck. E = at right shape shoulder, at left knit straight. Place sts on dekercombs on to nds of machine. At right cast on 5 more sts and knit second shoulder with reversed shapings.

Fig. III: A = scallop edging according to diagram: with blue and St. S 3 (lock set on N/N) make zig-zag from left to right. Break off. With white knit 7 rows open work row, then continue in stocking st. C = shape sleeve head, cast off.





Fig. IV: collar: A = with 208 nds work scallop edging as for Fig. III. Before knitting 8th row, transfer all sts to front bed, knit 1 row with lock set on N/GX. At both ends put 16 sts on a thread. B = hang sts of scallop edging onto nds as follows: at right hang 3 sts of edging onto first nd of collar, knit 1 row. (Lock is at left.) At left hang 3 sts of scallop edging onto first nd of collar, knit 1 row. (Lock is at right.) From now on, consecutively hang first on the right, then on the left and always on the same side as lock, 1 st of scallop edging onto first nd of collar and knit 1 row until all sts of the edging are hanging on nds. A few rows with contrast yarn, release.

Fig. I

Fig. II

Fig. III

Fig. IV



2052 PASSAP - DUOMATIC

Material: 420 metres length per 100 gr approx. 132 yards per 1 oz
10 cm = approx. 4"


Baby's shawl

Size: about 70 by 74 cm

Material: about 14 ozs medium baby wool: 5 1/2 ozs pink, 8 1/2 ozs pale blue

Stitch size: 4 3/4

Pattern: Handle down, black strippers




With 358 sts knit 500 rows according to diagram. Cast off loosely. Work 1 row of single crochet along cast-off edge.

To make up:

Pin out parts to size, cover with damp cloth and allow to dry, or press very gently. (First try on test square.) Join shoulder seams. Turn the 5 cast-on sts at both sides of front opening to inside and sew down. Sew collar to inside of neck edge, st by st and unravelling contrast yarn (deepening a little at back of neck). At right edge of front opening work 2 rows of single crochet, making 4 button loops in the second row, at left work 1 row of single crochet and sew on buttons to match button loops. Join sleeve and side seams, set in sleeves. Pull cord through open work row on sleeves.

Pattern for scallop edging:
Handle down, pink strippers



Material: 800 metres length per 100 gr approx. 251 yards per 1 oz
10 cm = approx. 4"

B/B

2081 PASSAP - DUOMATIC

Boy's outfit

Size: 3 to 4 years

Material: 13 ozs crêpe cotton yarn, 4 small buttons, waist elastic 4 3/4

Stitch size: 100 sts = 31 cm (12 1/4"), 100 rows = 21,5 cm (8 1/2")

Test square: stocking st. Jacket with knitted-in pockets, shorts with permanent crease.

Jacket

Fig. I: Start and finish with contrast yarn.

A and B = knit straight. C = shape armholes, then continue straight. D = shape shoulders, release.

Fig. II: Knit left front according to diagram. Start with contrast yarn. A = stocking st. B = at left cast on 19 sts, knit straight. In the 32nd, 70th and 108th row make a pair of buttonholes thus: at left miss 2 sts, knit 4 sts with contrast yarn by hand, miss 9 sts, knit 4 sts with contrast yarn by hand. In the 40th row make pocket as follows: at right miss 15 sts, for the following 16 sts put pushers into W.P. Set lock at front on BX, at back on GX, knit 20 rows for pocket band. Now hang the loops of the purl sts of the last row knitted prior to the band onto the 20 front bed needles. Knit 60 rows for pocket. Break yarn and push lock entirely to the right. Return pushers within blocking rail, lock set at front on N. Continue knitting in stocking st with all nds (see also "ABC of Perfect Knitting", page 55). C = at right shape armhole, at left knit straight. D = at right knit straight, at left cast off 10 sts. Release 11th stitch. Shape neck with graduations (BX and pushers) according to diagram, then continue straight. E = at right shape shoulder, at left knit straight. Lastly put remaining sts for neck band on dekercombs.

Knit right front with reversed shapings, omitting buttonholes. For neck band place sts on dekercombs back onto nds of machine as follows: in the centre place

Fig. I




Fig. II






Fig. III



Material: 300 metres length per 100 gr approx. 94 yards per 1 oz 10 cm = approx. 4"

Fig. IX



the 36 sts of back, at both sides leave 7 nds out, then at right place sts of right front, at left sts of left front onto nds of machine. Hang unshaped edges of neck (sections D and E) onto the 7 empty nds. With 102 nds and St. S 4 3/4 knit 4 rows. At left knit outside buttonhole thus: at left miss 4 sts, knit 4 sts with contrast yarn. Knit 3 rows. Knit 8th row with St. S 8, pulling knitting down. Knit 3 rows with St. S 4 3/4. At left knit inside buttonhole as before. Lastly, knit 4 rows, a few rows with contrast yarn, release.

Fig. III (make two): Begin with contrast yarn.

A = hem, straight. B = increase at both ends. C = shape sleeve head, cast off.

To make up jacket:

Block and press all parts. Drop 11th st (released stitch) to beginning of section A. Crochet ladder made by dropped stitch, taking 2 threads at a time. Turn front facings along fold line to inside and sew down. Remove contrast yarn from buttonholes and graft loose sts from back and front together. Fix side edges of pocket and side edges of pocket bands. Join shoulder and side seams. On neck band crochet a chain with long sts of 8th row (knitted with St. S 8), taking one thread at a time. Neaten button-hole of neck band. Sew down neck band and lower hem of jacket, unravelling contrast yarn. Join sleeve seam. Sew hem on sleeves to inside, st by st, unravelling contrast yarn. Set in sleeves. Sew on buttons.

Shorts

Fig. IX: Knit left part according to diagram. Begin and end with contrast yarn.

A = hem, knit straight. B = graduations from the right with BX and pushers. Increase at right. C = make graduations from the left with BX and pushers. Increase at left. D = continue with all nds, increasing at both ends. E = shape crutch. At right continue decreasing, at left knit straight for centre front seam. F = waist hem, knit straight. Release.

Knit right part with reversed shapings.

To make up:

Block and press both parts. On both parts drop 22nd stitch from centre front to beginning of section A. With green tool, crochet ladder made by dropped stitch, taking 2 threads at a time (creases). Join leg seams. Join both parts along crutch seam. Fold sections A and F to inside and sew down, st by st, unravelling contrast yarn. Insert waist elastic.